## Introducing PBR XLR 32 DSub







## Studio grade connectivity.

Your studio needs more than accessible patching — audio quality throughout every step of the signal chain is essential. Black Lion Audio has been trusted for years for modifying the best gear and making it better, and we poured that experience into the design of the PBR XLR 32 DSub.

Black Lion's team of engineers have worked tirelessly to ensure that the PBR XLR 32 DSub delivers proper quality through-and-through. The PBR XLR 32 DSub is also built Black Lion-tough, with a reinforced steel chassis and black-anodized aluminum faceplates that make for a matched and sophisticated look.

## PBR XLR 32 DSub

The PBR XLR 32 DSub is a 32-point XLR/DB25 patchbay, suitable for the most robust routing imaginable in two rack spaces. The 32 front-mounted XLR connections (16 in, 16 out) are gold-plated for maximum conductivity and signal clarity; all output jacks feature locking connectors. The four rearmounted DB25 connections are ideal for connecting to your mixer or interface, and are securely mounted to an internal steel backplate to prevent wear from frequent reconnections.

With the PBR XLR 32 DSub, you'll easily interconnect your preamps and other outboard hardware via its audiophile-grade, secure connections. You'll be able to reconfigure your entire studio's routing at a moment's notice — all while cutting down on cable clutter!



PBR XLR: 16-Point Gold-Plated XLR Patchbay

Every PBR product uses audiophile-grade connectors. Every contact point is goldplated. Black Lion's team of engineers faceplates that also make for a matched and sophisticated look.

Learn more at www.blacklionaudio.com.

OUND BETTER